


SLANTED SQUARES QUILT PATTERN

Fabric Requirements

White Solid (Background)	3 yds
Pink Solid (Blocks)	1 1/4 yds
Binding	1/2 yds
Backing	4 yds

Optional Supplies



Creative
Grids Perfect
Rectangle
Ruler 9-1/2in
Quilt Ruler

Creative
Grids
Quilt
Ruler
15-1/2in
Square



Cutting Instructions

From the White Solid, Cut:

8 Strips 9 1/2" x Width Of Fabric (WOF)

Using the Perfect Rectangle Ruler or Paper template cut 32 right facing triangles and 32 left facing triangles.

11 Strips 2 1/2" x WOF, piece to make:

5 strips 2 1/2" x 48 1/2"

2 strips 2 1/2" x 58 1/2"


From the Pink Solid, Cut:

4 strips 9 1/2" x WOF, subcut into:


16 squares 9 1/2" x 9 1/2"

Block Assembly


1. Sew the longest side of a right facing triangle to the left and right side of a 9 1/2" square. The ends will be longer than the square. Press seams. (fig A)



2. Sew a right facing triangle to the top and bottom of the square. Press seams. (fig B)




3. Square block to 12 1/2" (Optional: Use Creative Grids 15 1/2" ruler for easy trimming.)



4. Repeat to make a total 8 blocks with the right facing triangles.


5. Follow the steps above to make 8 blocks with left facing triangles.




Quilt Assembly

1. Layout the blocks in 4 rows as shown in the diagram. Place a $2\frac{1}{2}$ " x $48\frac{1}{2}$ " strip of white solid in between each row. (fig. C)

2. Sew the blocks into rows. Then sew the rows and sashing together. (fig. D)




(fig C)




(fig D)

3. Sew a $2\frac{1}{2}$ " x $48\frac{1}{2}$ " strip of white solid to the top and bottom of the unit. Then sew a $2\frac{1}{2}$ " x $58\frac{1}{2}$ " to the left and right side. (Fig. E)

4. Baste, quilt, bind and enjoy!



(fig E)



**Square should measure 1”
when printed correctly.**

**Template includes 1/4” seam
allowance, cut directly on
line.**